Custom Built Seating System




Please use Adobe 'Fill & Sign' to complete this form – Please check boxes with an X

	GENERAL INFORMATIO	ON	
Clinician:	Email:	Date:	
Service:	Delivery Address:		
	ASSESSMENT SUMMA	RY	
Client Name/Ref:		Year of Birth:	
Address/School:		Diagnosis:	
Current Equipment:			
Issues with Current Equipment:			
Observations, deformity:			

Hips/Pelvis:

Spine/Trunk:

				ME	EASUI	REMENTS	
				ent ements		Current Seat	
а	Pelvic Width:				cm		
b	Trunk Width:				cm		
С	Backrest Height				cm		c
d	Thoracic Pad He	eight:	L	R	cm		
е	Seat Depth:		L	R	cm		a
f	Seat Ramp Leng	gth:			cm		
g	Footrest Height:		L	R	cm		
h	Footplate Length	ו:			cm		
i	Knee Width:				cm		
j	Medial Pad:				cm		ן אין אין אין א
k	Distance Betwee	en Knees:			cm		
I	Outside of Knee	s			cm		
Bac	ckrest Recline:		Seat Tilt:				Please record currents



				ORDERING IN	IFORM	ATION					
	Seat & Ba	ck		Back Only				Seat Only			
Wheelchair M	Model & Size:							Fixed	I	Removable	
				vider than hip width to give d, eg for self propelling or			Length	approx. 70mm lo	nger	than seat depth	
Seat Cushion:				Ramped	Stepped					l Flat	
Back Cushion:			inc Sacral			inc Lumbar			Flat (No Sacral)		
Wraparound Laterals			🗆 Sw	ingaway Laterals	Arm Protraction Pads			is 🗆	Synergel Lining		
Headrest :	Std		Curved	Wing Curved Multi-Adjustable:			□350mm □ 450mm □550mm				
Harness:	🛛 Н Туре		Х Туре	Dynaflex	Gerront Pull Grear Pull Grop Pull				o Pull		
Padded Lap	Strap:		2 point	4 point Pommel			Knee Laterals				
Footrest:	CAPS T	уре		Wheelchair Only		G Footbox G		Foot Straps		Ankle Huggers	
Upholstery:	Black		🛛 Pin	k 🛛 🖬 Royal E	Blue 🛛 Denim		Purple		Red		
				izes based on client r yellow incur a small							

Active Design Ltd, 68K Wyrley Road, Birmingham. B6 7BN. Tel: 0121 326 7506 Fax: 0121 327 8807 Email: sales@activedesign.co.uk Internet: www.activedesign.co.uk

Custom Built Seating System



Please use Adobe 'Fill & Sign' to complete this form – Please check boxes with an X

		·	Seat Configur	ation					
🗆 Sea	at & Back		Back Only			Seat	Only		
Interface in	nto 2 wheelcha	airs			•				
		-	Seat Mount	ing					
RMS Lock	& Latch	Fixed (Tube)			Drop Seat Required				
		_	Backrest Mou						
□ 2 F	Pt With Tongue	9	4 Pt mounting	ig		Lock & Latch			
			A			d (Tube Clamp	os)		
					 2 Point lock & latch with tongue is the standard option, allowing easy assembly 4 Point mounting with either lock & latch or tube clamps is primarily used with separate back support systems. 				
			Upholster	-					
	· · ·	s normally supplied in tw	-						
Duratex:	Black	D Pink	Royal Blue			Purple	Red		
Dartex: Image: Black Spacer:			Black	🛛 Roya	al Blue	🛛 Red	Grey		
	covers, please	e specify:							
Special Requir	ements:								
			Seat Cushi	on					
Ramped		Stepped		Flat	Sizes determined by Seat Dimensions Reflex 650F (Firm) as Standard (typically 50mm thick on flat) Further customisation available below if required.				
	Custom		Specify b c	or c		tom Stepped	- b		
		······································					·		
a) Ramp/Step	-	b) Ramp/Step H	-			p Angle:			
Ramp Base	Layer:	Firm (Reflex	,		Chip Foam				
Flat Section of		□ Firm (Reflex 650F)	Soft Memory Memory		/	Firm Memory	SynerGel		
	mmetric:	Left:	cn	ו	Right:		cm		
Special Requir	ements:								
Sacral Pace	4	Lumbar Pao	Backrest Cus	nion	🔲 Fla	at Type			
	ard Foam 🛛	Memory Foam	л 	Soft			m 🛛		
	Custom T		Custor	m I Shape			n Sacral		
d	<u>+</u>	c				ţf [
a: Special Requir	b: ements:	C:	d:		e:		f:		

Active Design Ltd, 68K Wyrley Road, Birmingham. B6 7BN. Tel: 0121 326 7506 Fax: 0121 327 8807 Email: sales@activedesign.co.uk Internet: www.activedesign.co.uk

Custom Built Seating System



Please use Adobe 'Fill & Sign' to complete this form – Please check boxes with an X

Please use Adobe 'Fill	& Sign' to	complete	this for				s with ar	n X			
Fixed		Swing ou	(A) (Latera	al Suppor						
	le	Swing aw			Wrap aro			Evazot	te padded s customisati	by Seat Dime lim line latera ion available l uired.	l pads
ThoracicPelvic		Thoracic		а т	ا horacic	U			/equ	uneu.	
	-	THORACIC	Custo		our later	als m	ore:				
Size	А	В	С	D		Ξ	F	-	Ť		
L	13	14	15	17	2	0	2	5	h h		
Н	7.5	7.5	9.5	9.5	5 9	.5	9.	5			<u> </u>
Thoracic						נ]	Custom : L	Н	cm
Pelvic								Custom : L	Н	cm	
Arm Protraction						נ		ו	Custom : L	н	cm
Special Requirements	5										
				Kne	e Contro						
Solid Pommel		Knee Late	eral		Adjustable		mel				
Sizes determined by Solid Pommel or Knew Solid Pommel and Adjustable Further customisation						nee Laterals s and Knee Late le Pommel	standard erals				
						\checkmark					
	Pomme							1	Laterals		
Size a b		d r	\frown		Size	_		h			
□ S 8 6			\wedge	Š	□ S			7	h] (\frown	
□ M 9 7			\searrow	B	D M			9	h	``````````````````````````````````````)
□ L 11 8		8		×/				0	_		-
□ XL 13 9	15	9	199			2	25 1	0		Ι	
Custom					Custom						
Special Requirements	j.										
		tour			Head Sup	port		<u> </u>	m (od		
Size a	hallow Cor b h				Size		а	b	rved h		
	0.5 9		а				21	6.5	8	a	
□ M 25	1 11		i b		ШM		24	7	10 5	П	\square
L 30	2 11	<u></u>	10				27	8	11		
	2.5 14						29	9	12		
Custom	Wing Curv	red			Custom			Multi A	djustable		
Size a	b h				Joints		а	b	h		
	5.5 8		b		4		35	N/A	10	0000	A CON
	6.5 10				G 6		45	N/A	10		
L 36.5	8 10		a				55	N/A	10		W.S.
Custom					Custom						
Basic Link Me			Ball	& Link				Thro	ough Bar (I	Ball Joints)	
Special Requirements											

Custom Built Seating System



Please use Adobe 'Fill & Sign' to complete this form – Please check boxes with an X

	Harnessing								
Pelvic Belt – Si	ze determined by s	seat dimen							
2 Point			4 Point	nt PL					
Plastic Buckle - Single Pull Plasti	c Buckle - Dual			Safety Buckle					
Standard Pad Size	Pull		Slim line Pa	-					
Shoulder Harness									
H-Type X-Type X-Type A	Dyna	aflex	RearTop FFront						
	Foot Support								
 Use Standard Wheelchair footplates 	Foot Support								
	Foot Support	W	L						
Use Standard Wheelchair footplates		W 10.5	L 16						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) 	Size								
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) 	Size	10.5	16						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) 	Size XXS XS	10.5 10.5	16 18						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box 	Size XXS XS S	10.5 10.5 11.5	16 18 20						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box Padding Required 	Size XXS XS S M	10.5 10.5 11.5 12.5	16 18 20 22.5						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box Padding Required Mounted on wheelchair footrest hangers 	Size XXS XS XS S M L	10.5 10.5 11.5 12.5	16 18 20 22.5						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box Padding Required Mounted on wheelchair footrest hangers CAPS II Hanger & Adapter (Neo/Discovery) 	Size XXS XS XS S M L L Custom	10.5 10.5 11.5 12.5 13.5	16 18 20 22.5 25						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box Padding Required Mounted on wheelchair footrest hangers CAPS II Hanger & Adapter (Neo/Discovery) Neo/Discovery Swing away footrest hanger 	Size XXS XS S M L Custom Size	10.5 10.5 11.5 12.5 13.5 W	16 18 20 22.5 25 L H						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box Padding Required Mounted on wheelchair footrest hangers CAPS II Hanger & Adapter (Neo/Discovery) Neo/Discovery Swing away footrest hanger Webbing Footstraps – Camlock Buckles 	Size XXS XS S S M L L Custom Size XS	10.5 10.5 11.5 12.5 13.5 W 23	 16 18 20 22.5 25 L H 10 						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box Padding Required Mounted on wheelchair footrest hangers CAPS II Hanger & Adapter (Neo/Discovery) Neo/Discovery Swing away footrest hanger Webbing Footstraps – Camlock Buckles Webbing Footstraps – Velcro Leather Footstraps Ankle Huggers S M L 	Size XXS XS XS N L L Custom Size XS S	10.5 10.5 11.5 12.5 13.5 W 23 26	16 18 20 22.5 25 L H 18 10 20 10						
 Use Standard Wheelchair footplates CAPS type footplates (aluminium) Separate footplates with rear upstand (PP) One piece Footplate (polypropylene) ABS Plastic foot box Padding Required Mounted on wheelchair footrest hangers CAPS II Hanger & Adapter (Neo/Discovery) Neo/Discovery Swing away footrest hanger Webbing Footstraps – Camlock Buckles Webbing Footstraps – Velcro Leather Footstraps 	Size Size XXS XS N L Size XS XS N XS N XS N XS N XS N N N N N N N N N	10.5 10.5 11.5 12.5 13.5 W 23 26 31	16 18 20 22.5 25 1 18 10 20 10 20 10 21	Inside measurements					